

ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The

A G CONSTRUCTIONS

S.No.279/1,279/2,279/2/1,279/2/2,279/2/3,280/1,280/2,280/3 Baner Pune.
-411045

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/435860/2023 dated 06 Jul 2023. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|---|
| 1. EC Identification No. | EC24B038MH178075 |
| 2. File No. | SIA/MH/INFRA2/435860/2023 |
| 3. Project Type | Expansion |
| 4. Category | B |
| 5. Project/Activity including Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Expansion of Proposed Commercial Project at S.No.279/1, 279/2, 279/2/1, 279/2/2, 279/2/3, 280/1, 280/2, 280/3 Baner ,Dist- Pune by M/s. A.G.Constructions |
| 7. Name of Company/Organization | A G CONSTRUCTIONS |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 02/02/2024

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2 /435860/2023
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. A.G.Constructions,
S.No.279/1, 279/2, 279/2/1, 279/2/2,
279/2/3, 280/1, 280/2, 280/3,
Baner, Dist- Pune.

Subject : Environmental Clearance for Expansion of Proposed Commercial Project at S.No.279/1, 279/2, 279/2/1, 279/2/2, 279/2/3, 280/1, 280/2, 280/3 Baner, Dist- Pune by M/s. A.G.Constructions

Reference : Application no. SIA/MH/INFRA2 /435860/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 179th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 270th (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 09th November, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/435860/2023
2	Name of Project	Expansion of Proposed Commercial Project at S.No.279/1, 279/2, 279/2/1, 279/2/2, 279/2/3, 280/1, 280/2, 280/3 Baner ,Dist- Pune by M/s. A.G.Constructions
3	Project Category	Category 'B2', Activity 8(a)
4	Type of institution	Private
5	Name of Project Proponent	Name : Mr. Ajit Gaikwad Address: S. no. 127/1, ITI Road, A G Technology Park, Gaikwad Avenue, Aundh, Pune.
6	Name of Consultant	J. M. EnviroNet Pvt. Ltd.
7	Applied for	Expansion
8	Details of Previous EC	Earlier Environmental Clearance Identification no. EC22B038MH191463 dated 18.06.2022
9	Location of the project	S.No.279/1, 279/2, 279/2/1, 279/2/2, 279/2/3, 280/1, 280/2, 280/3 Baner, Dist- Pune
	Taluka	Haveli
	Village	Baner
	District	Pune
10	Latitude & Longitude	Latitude -- 18.559411° N Longitude 73.797958° E
11	Total Plot Area (m ²)	6080 sq. m
12	Deductions (m ²)	2114.98 sq. m
13	Net Plot area(m ²)	3965.02 sq. m

14	Proposed FSI area (m ²)	21478.48 sq. m			
15	Proposed Non FSI area (m ²)	17958.46 sq. m			
16	Proposed Total Built-up Area (FSI & Non-FSI) (m ²)	39436.94 sq. m			
17	Total built up area (m ²) approved by planning authority till date	39436.94 sq. m			
18	Ground coverage (m ²) & %	--			
19	Total Project Cost (Rs.)	Rs. 121 Cr.			
20	CER as per MoEF & CC circular dated 01/05/2018	--			
21	Number of buildings & its configuration:				
	Previous EC / Existing Building	Proposed Configuration			
	Building Name	Configuration	Height (m)	Building Name	Configuration
	Commercial Building	2 Basement + Ground + 1 st to 4 th level parking + 5 th to 15 th floors	49.65 m	Commercial Building	2 Basement + Ground + 1 st floor Comm. + 2 nd to 4 th level parking + 5 th to 15 th floors
22	Number of tenants and shops		--		
	Number of expected residents/users		Commercial floating population - 3788 persons		
23	Water Budget				
	Dry Season (CMD)		Wet Season (CMD)		
	Fresh water (CMD):	94.70	Fresh water (CMD):	94.70	
	Recycled water-Flushing (CMD):	75.76	Recycled water-Flushing (CMD):	75.76	
	Recycled water-Gardening (CMD):	05	Recycled water-Gardening (CMD):	00	
	Swimming pool makeup (Cum):	00	Swimming pool makeup (Cum):	00	
	Total Water Requirement (CMD)	178.16	Total Water Requirement (CMD)	173.16	
	Waste water generation (CMD)	153.41	Waste water generation (CMD)	153.41	
2	Water Storage Capacity for Firefighting /UGT (m ³)		Fire tank – 200 KLD		
2	Source of water		PMC		
5					
26	Rain Water Harvesting (RWH)	Level of the Ground water table:	Post monsoon 6.5 to 8 m Pre monsoon 9 to 11 m		
		Size and no of RWH tank(s) and	NA		

		Quantity:	
		Location of the RWH tank(s):	NA
		Quantity of recharge pits:	03 nos
		Size of recharge pits	2.00 m. X 2.00 m. X 2.00 m. Depth With a dia of 160 mm and 60 m depth .
	Details of UGT tanks if any:	Domestic Tank Fire Tank	145 KLD 200 KLD
27	Sewage and Waste water	Sewage generation in CMD:	153.41 KLD
		STP technology:	MBBR
		Capacity of STP (CMD):	160 KLD
28	Solid Waste Management during Construction Phase	Total waste- 20 kg/d Dry waste- 12 kg/d Wet waste- 08 kg/d	
	Solid Waste Management during Operation Phase:	Type	Quantity (kg/day)
		Dry waste:	587.2 kg/day
		Wet waste:	464.8 kg/day
		Hazardous waste:	NA
		Biomedical waste	--
		E-Waste	11.41 kg/day
		STP Sludge (Dry)	20 kg/day
		Treatment/disposal	Will be Handed over to SWACH OWC proposed NA -- Handed over to Swach Used as manure after OWC Treatment
30	Green Belt Development	Total RG area (m2):	Total RG area required: 453.70 sq. m. Total RG area provided : 456.41 sq. m.
		Existing trees on plot	12 nos'
		Number of trees to be planted	50 nos' (Proposed) + 62 (Compensatory)
		No of trees to be cut	03
		Number of trees to be transplanted	00
		No of trees to be protected	09
31	Power Requirement	Source of power supply:	MSEDCL
		During Construction Phase: (Demand Load)	75 KW
		During Operation phase (Connected load):	2785 KW
		During Operation phase (Demand load):	1880 KW
		Transformer:	1 x 2000 KVA
		DG set:	2 x 750 KVA
		Fuel used:	HSD

32	Details of Energy saving:				
	S. no	Energy Conservation Measures	Saving%		
	1	Solar PV	5.7 %		
33	Environmental Management Plan budget during Construction Phase				
	S.No	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)	
	1	Air	Dust suppression measures and barricading	Rs. 1,06,000 /-	
	2	Land	Site Sanitation & Safety	Rs. 26,500/-	
	3	Environment management	Environmental Monitoring	Rs. 1,20,000/-	
	4	Health & safety	Disinfection and Health Check-ups	Rs. 88,000 /-	
34	Environmental Management Plan budget during Operation phase				
	S. No	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. In Lacs/yr)
	1	Sewage Treatment Plant	STP based on MBBR technology	Rs. 42,09,000 /-	Rs. 2,13,750 /-
	2	Solid Waste Management	OWC	Rs. 14,50,000 /-	Rs.3,40,320 /-
	3	Bio-medical waste	--	Rs. 1,00,000/-	
	4	Rainwater harvesting	RWH pits	Rs. 3,00,000 /-	Rs. 60,000/-
	5	Landscaping	Trees proposed	Rs. 12,00,000 /-	Rs. 60,000 /-
	6	Energy saving features	Solar PV panels & solar hot water	Rs. 70,75,000 /-	Rs. 5,04,000 /-
	7	Environmental Monitoring	Environmental Monitoring	--	Rs. 2,80,000 /-
	8	Basement Ventilation		Rs. 18,00,000 /-	Rs. 1,85,000 /-
35	Traffic Management				
	Type	Required as per DCR	Actual provided	Area	
	4-wheeler	360	372	12.5 sq. m. as per rule	
	2 - wheeler	1080	1122	2 sq. m. as per rule	
	Cycle	--	--	--	
36	Details of Court cases / litigations w.r.t. the project and project location if any.			No	

Comparative statement of the project-

Sr. No	Particulars	Details as per earlier EC issued by MoEF (Areas in sq.mt)	Proposed Modification in EC (Areas in sq.mt)
1	Total Plot area	6080.00	6080.00
2	Deductions	2108.00 (Road widening area under 12 m DP-1030 sq. m. + 9 m wide road -571.99 sq. m. + NALA Garden – 506.01 sq. m.)	2114.98 (Road widening area under 12 m DP-1030 sq. m. + 9 m wide road -571.99 sq. m. + NALA Garden – 506.01 sq. m. + Chamfer – 6.98 sq. m.)
3	Net Plot Area	3972.00	3965.02
4	FSI area	20617.63	21478.48
5	Non FSI area	19680.79	17958.46
6	Total construction BUA	40298.42	39436.94
7	No. of buildings with its configuration	Total no. of building : 1 Commercial Bldg 2 Basement + Ground + 1st to 4th level parking + 5th to 15th floors	Total no. of building : 1 Commercial Bldg 2 Basement + Ground + 1st floor Comm. + 2nd to 4th level parking + 5th to 15th floors
	Building Height	Height : 49.65 m	Height : 64.68 m
8	No. of tenements & Population	Commercial population : 3690 persons	Commercial population : 3788 persons
9	Water requirement	Fresh water: 92.25 KLD Flushing water: 73.80 KLD Gardening water: 05 KLD Total water requirement: 171.05 KLD	Fresh water: 94.70 KLD Flushing water: 75.76 KLD Gardening water: 05 KLD Total water requirement: 178.16 KLD
	Waste water generation & STP provided	Waste water generation: 149.45 KLD STP capacity: 150 KLD STP technology: MBBR	Waste water generation: 153.41 KLD STP capacity: 160 KLD STP technology: MBBR
	Rain water Harvesting	Rain water harvesting tank: NA Size: 2 m x 2 m x 2 m Recharge pits: 03 Nos. (1- terrace + 2 Surface)	Rain water harvesting tank: NA Size: 2 m x 2 m x 2 m Recharge pits: 03 Nos. (1-Terrace + 2 Surface)
12	UGT	01 No. Domestic: 131 KLD Fire- 200 KLD	01 No. Domestic: 145 KLD Fire- 200 KLD
13	Solid waste generation, STP Sludge & OWC capacity	Wet – 436 Kg/day Dry – 582 Kg/day STP Sludge: 18 kg/day E-waste: 10.11 kg/day OWC capacity: 500 kg/day	Wet – 464.8 Kg/day Dry – 587 Kg/day STP Sludge: 20 kg/day E-waste: 11.41 kg/day OWC capacity: 500 kg/day

14	Green Belt Development	Total RG area required & Provided : 453.70 sq. m. Existing trees : 12 no's. No. of trees to be retained – 09 no's No. of trees to be transplant : 03 no's. Mandatory required trees : 49 No's No. of Trees proposed : 57 Nos	Total RG area required & Provided : 453.70 sq. m. Existing trees : 12 no's. No. of trees to be retained – 09 no's No. of trees to be cut : 03 no's. Mandatory required trees : 49 No's No. of Trees on site : 58 Nos
15	Traffic Management	Required : Cars- 364 , Scooters: 1090 Provided : Cars- 365 , Scooters: 1110	Required : Cars- 360 , Scooters: 1080 Provided : Cars- 372 , Scooters: 1122
16	Energy	Connected load: 2680 KW Maximum demand: 1808 KW DG set: 2 x 750 kVA No. of transformer: 2000 KVA Solar PV- 3% saving	Connected load: 2785 KW Maximum demand: 1880 KW DG set: 2 x 750 kVA No. of transformer: 2000 KVA Solar PV- 5 %

3. Proposal is an expansion of existing construction project. Project had received earlier Environment Clearance vide EC vide letter dated 18.06.2022 for the total construction built up area of 40298.42 Sq. m (FSI- 20617.63 Sq. m + NON FSI – 19680.79 Sq. m). Proposal has been considered by SEIAA in its 270th (Day-2) meeting held on 09th November, 2023. and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit the copy of IoD.
2. PP to submit Certified Compliance Report (CCR), from Regional Office, MoEFCC.
3. PP to submit the Tree NoC, drainage NoC and NoC for water supply.
4. PP to submit the architect certificate stating the work carried on site is as per earlier accorded EC.
5. PP to submit the revised rain water harvesting calculations. PP to provide more number of recharge pits for surface run off.
6. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021. Also, PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

1. PP has provided mandatory RG area of 453.70 m² on mother earth without any construction. Local planning authority to ensure the compliance of the same.
2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum

issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.

5. SEIAA after deliberation decided to grant EC for-FSI- 21478.48 m², Non FSI- 17958.46 m², total BUA- 39436.94 m². (Plan approval No-Zone -3/4366, dated-09.11.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission

- norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).

- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to

SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.


5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Pravin Darade
(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, Pune Municipal Corporation
7. Regional Officer, Maharashtra Pollution Control Board, Pune.